



[belkin.com](http://belkin.com)

# Surge Protection



# Welcome to Belkin Surge Protection

Belkin Components produces power management and protection products that are second to none. Our SurgeMaster™ line is the best selling line of surge protection in the world. Thousands of hours of development and nearly a decade of experience have resulted in the ultimate in surge protection. Each model in our line is continuously evaluated and tested to ensure that it is the best product available at the most attractive price. Our packaging is the most innovative and informative and is continuously updated to meet changing market trends. We pride ourselves on providing the highest quality, value, and selection for all power management needs.

From our Home/Office Grade SurgeMaster™ models to our Maximum Grade SurgeMaster™ II Series, you can rely on Belkin to provide the power protection program you need for today's high performance electronic devices. With innovative features like Telephone/Fax/Modem protection, built in telephone line splitter, BlockSpace™ adapter spacing and thermal fuses for added safety, we've made our surge protectors with the features customers want.

We've also made it easier than ever to select the right protection for your particular application by colour coding our packaging and providing easy to follow application specific step-up charts. Our packaging helps you make the right choice.

Along with the best design and technology, Belkin offers the best warranties in the business. Full surge protection means insuring your equipment against damage due to power disturbances of all kinds – surges, spikes, even lightning strikes. The Belkin Connected equipment warranty is best insurance that you can provide for your new Television, Hi-Fi System, personal computer, kitchen appliance or any other sensitive electronic device. If for any reason your equipment is damaged due to a power disturbance, while connected to a SurgeMaster™ product, Belkin will repair or replace your property, up to the full warranty limit. The warranty amounts range from £3000 – £30,000. It is as simple as that, and we won't even make you fill out registration cards. Our warranty and claims department will handle all of the hassles for you.



Why would you risk losing thousands of pounds when you can have the peace of mind that your equipment is protected by Belkin. You won't find this offered by any other surge protectors on the market, so why would you connect your electronic devices to anything except a Belkin SurgeMaster™?

## TruView™ Packaging System

**Power Cord Length**  
allows the customer to immediately identify cord length.

**Maximum Spike Amperage**  
boldly displayed for easy identification by customer. Higher rating, more surge protection.

**Product Number**  
prominently displayed to assist customers and store personnel

**Colour Coded Packaging**  
colour scheme allows customers to identify levels of protection.

**Internet Symbol**  
graphic icon displays Internet capability.

**Exclusive Features**  
easy to understand callouts describe special features.

**Belkin Connected Equipment Warranty**  
prominently displayed allowing customers to buy with confidence.

**Package Features:**  
 • 2m CORD  
 • INTERNET READY  
 • SurgeMaster II with Multimedia Protection  
 • Maximum Spike 33,000 Amps  
 • LIGHTNING PROTECTION  
 • Protects Desktop Computers and Other Sensitive Office Devices Against Damage from Harmful Power Surges and Spikes.  
 • 1184 Joules  
 • Child Safety Shutters  
 • Surge Protection & Earth Wiring Indicators  
 • 6 Surge Protected Sockets  
 • Lifetime Product Warranty  
 • Don't Telephone/Fax/Modem Line Protection and Avoid/Cancel/Prevention (see back for details)  
 • Belkin will repair or replace any properly connected equipment damaged by any AC surge up to a value of  
**£20,000**  
 Connected Equipment Warranty  
 FSC2060u2AV-TEL3  
 Superior Grade

**No Hassle  
Warranty**




# Level of Protection

Belkin Surge Protection charts and colour-coded packaging allow you to select the right surge protector for your application. The Step-Up Chart helps you step up to the right protection for your device. The chart displays current computer and electronics specifications and

matches those devices to the correct SurgeMaster™ product. Full colour pictures and easy to follow colour-coded packaging guarantees the customer will find the perfect surge protection product for their system.

The easy-to-follow application chart identifies what each SurgeMaster™ is designed to protect. This takes the guesswork out of choosing the correct protection.

Home/Office Grade	Superior Grade	Maximum Protection
 <p><b>F5C195uTEL</b>  <b>F5C204u2-TEL</b>  <b>F5C204u4-TEL</b>  <b>F5C205u2-TEL</b>  <b>F5C205u4-TEL</b></p> <ul style="list-style-type: none"> <li>▪ Pentium®/Celeron™/ 300MHz to 360MHz</li> <li>▪ 33.6K Modems</li> <li>▪ Dot Matrix Printers</li> <li>▪ Personal Fax Machines</li> <li>▪ Scanners 300 dpi</li> </ul>	 <p><b>F5C206u2-TEL3</b>  <b>F5C206u4-TEL3</b>  <b>F5C100u</b></p> <ul style="list-style-type: none"> <li>▪ Pentium® II/Celeron™/ AMD-K6®-2 233MHz to 466MHz</li> <li>▪ 56K Modems</li> <li>▪ Ink Jet Printers</li> <li>▪ Office Copiers</li> <li>▪ SOHO Fax Machines</li> <li>▪ Scanners 600 dpi</li> </ul>	 <p><b>F5C208u2-TEL3</b>  <b>F5C208u4-TEL3</b></p> <ul style="list-style-type: none"> <li>▪ Pentium® III/AMD-K6®-3/ Athlon™ and faster 300MHz to 466MHz</li> <li>▪ 56K Modems and Cable Modems</li> <li>▪ Laser Printers</li> <li>▪ Large Volume Copiers</li> <li>▪ Business Fax Machines</li> <li>▪ Flatbed Scanners 1200 dpi</li> </ul>
 <p><b>F5C195u</b>  <b>F5C204u1</b>  <b>F5C204u1-S</b>  <b>F5C204u2</b>  <b>F5C205u2</b></p> <ul style="list-style-type: none"> <li>▪ General Purpose</li> <li>▪ TVs</li> <li>▪ Portable Stereos</li> <li>▪ CD Players</li> <li>▪ Personal Copiers</li> </ul>	 <p><b>F5C206u2AV-TEL3</b></p> <ul style="list-style-type: none"> <li>▪ Appliances</li> <li>▪ Up to 32" TVs</li> <li>▪ Bookshelf Stereos</li> <li>▪ Carousel CD Players</li> <li>▪ VCRs</li> </ul>	 <p><b>F5C208u2AV-TEL3</b></p> <ul style="list-style-type: none"> <li>▪ Projection TVs</li> <li>▪ 32" TVs and above</li> <li>▪ DVD Players</li> <li>▪ Home Cinema Systems</li> <li>▪ Hi-Fi VCRs</li> <li>▪ WebTV®</li> <li>▪ Satellite Receivers</li> </ul>




**Each grade shows the current level of protection and the higher levels. This continuously steps the customer up to better protection.**





# The Latest in Surge Protection Technology

Belkin is committed to offering state-of-the-art technology at affordable prices. Only the highest quality components are used and each Belkin surge protector has been tested to meet or exceed all applicable standards. Take a look inside our top of the line models and you'll find...



## Maximum Grade

Sensitive Pentium® III computers, high-end audio/video and critical office equipment need maximum protection. Belkin Maximum Grade Series surge protectors provide the best protection for your needs. Maximum Grade units offer a maximum spike amperage of 39,000 Amps, Telephone/Fax/Modem protection with a built in telephone splitter to protect two devices, thermal fuses for added safety, BlockSpace™, surge-protected and earthed indicators, EMI/RFI filtration, reusable safety caps, and a £30,000 Connected Equipment Warranty. The SurgeMaster II™ Multimedia unit offers both coax/aerial protection and Telephone/Fax/Modem protection for Satellite Receivers, WebTV® and Home Cinema Systems.



### **SurgeMaster II™ F5C208u2AV-TEL3** 7-22868-29895-4

#### **£30,000 Connected Equipment Warranty**

Maximum Spike Amperage  
39,000 Amps

- ▶ 1544 Joule Energy Rating
- ▶ 8-Way Surge Protected Sockets
- ▶ BlockSpace™
- ▶ Telephone/Fax/Modem Protection with built-in line splitter
- ▶ Coax/Aerial Line Protection
- ▶ 2m Power Cord
- ▶ 1.8m Telephone Cord Included
- ▶ 1.8m Coax Cable Included
- ▶ Surge Protection Indicator
- ▶ Earthed Wiring Indicator
- ▶ EMI/RFI Filtration
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty

### **SurgeMaster II™ F5C208u4-TEL3** 7-22868-29894-7

#### **£30,000 Connected Equipment Warranty**

Maximum Spike Amperage  
39,000 Amps

- ▶ 1544 Joule Energy Rating
- ▶ 8-Way Surge Protected Sockets
- ▶ BlockSpace™
- ▶ Telephone/Fax/Modem Protection with built-in line splitter
- ▶ 4m Power Cord
- ▶ 1.8m Telephone Cord Included
- ▶ Surge Protection Indicator
- ▶ Earthed Wiring Indicator
- ▶ EMI/RFI Filtration
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty

### **SurgeMaster II™ F5C208u2-TEL3** 7-22868-29893-0

#### **£30,000 Connected Equipment Warranty**

Maximum Spike Amperage  
39,000 Amps

- ▶ 1544 Joule Energy Rating
- ▶ 8-Way Surge Protected Sockets
- ▶ BlockSpace™
- ▶ Telephone/Fax/Modem Protection with built-in line splitter
- ▶ 2m Power Cord
- ▶ 1.8m Telephone Cord Included
- ▶ Surge Protection Indicator
- ▶ Earthed Wiring Indicator
- ▶ EMI/RFI Filtration
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty



## Superior Grade

Sensitive Pentium® II computers, audio/video equipment and office equipment need extra protection. Don't let a surge of electricity unnecessarily damage your critical files or equipment. Belkin Superior Grade surge protectors have been designed for mid-range computers, small office fax machines, office copiers and other sensitive equipment.

Superior models offer a maximum spike amperage of 33,000 Amps, Telephone/Fax/Modem protection with a built-in telephone line splitter to protect two devices, thermal fuses for added safety, BlockSpace™, surge-protected and earthed indicators, EMI/RFI filtration, and a £20,000 Connected Equipment Warranty.



<b>SurgeMaster II™ F5C206u2AV-TEL3 7-22868-29892-3</b>	<b>SurgeMaster II™ F5C206u4-TEL3 7-22868-29891-6</b>	<b>SurgeMaster II™ F5C206u2-TEL3 7-22868-29890-9</b>	<b>SurgeMaster™ F5C100u 7-22868-27556-6</b>
<b>£20,000 Connected Equipment Warranty</b>	<b>£20,000 Connected Equipment Warranty</b>	<b>£20,000 Connected Equipment Warranty</b>	<b>£20,000 Connected Equipment Warranty</b>
Maximum Spike Amperage 33,000 Amps	Maximum Spike Amperage 33,000 Amps	Maximum Spike Amperage 33,000 Amps	Maximum Spike Amperage 33,000 Amps
<ul style="list-style-type: none"> <li>▶ 1184 Joule Energy Rating</li> <li>▶ 6-Way Surge Protected Sockets</li> <li>▶ BlockSpace™</li> <li>▶ Telephone/Fax/Modem Protection with built-in line splitter</li> <li>▶ Coax/Aerial Line Protection</li> <li>▶ 2m Power Cord</li> <li>▶ 1.8m Telephone Cord Included</li> <li>▶ 1.8m Coax Cable Included</li> <li>▶ Surge Protection Indicator</li> <li>▶ Earthed Wiring Indicator</li> <li>▶ EMI/RFI Filtration</li> <li>▶ Thermal Fuses</li> <li>▶ Lifetime Product Warranty</li> </ul>	<ul style="list-style-type: none"> <li>▶ 1184 Joule Energy Rating</li> <li>▶ 6-Way Surge Protected Sockets</li> <li>▶ BlockSpace™</li> <li>▶ Telephone/Fax/Modem Protection with built-in line splitter</li> <li>▶ 4m Power Cord</li> <li>▶ 1.8m Telephone Cord Included</li> <li>▶ Surge Protection Indicator</li> <li>▶ Earthed Wiring Indicator</li> <li>▶ EMI/RFI Filtration</li> <li>▶ Thermal Fuses</li> <li>▶ Lifetime Product Warranty</li> </ul>	<ul style="list-style-type: none"> <li>▶ 1184 Joule Energy Rating</li> <li>▶ 6-Way Surge Protected Sockets</li> <li>▶ BlockSpace™</li> <li>▶ Telephone/Fax/Modem Protection with built-in line splitter</li> <li>▶ 2m Power Cord</li> <li>▶ 1.8m Telephone Cord Included</li> <li>▶ Surge Protection Indicator</li> <li>▶ Earthed Wiring Indicator</li> <li>▶ EMI/RFI Filtration</li> <li>▶ Thermal Fuses</li> <li>▶ Lifetime Product Warranty</li> </ul>	<ul style="list-style-type: none"> <li>▶ 1281 Joule Energy Rating</li> <li>▶ Under Monitor Power Center</li> <li>▶ BlockSpace™</li> <li>▶ Control 5 sockets individually or all at once using Master Control Switch</li> <li>▶ Telephone/Fax/Modem Protection</li> <li>▶ 2m Power Cord</li> <li>▶ 1.8m Telephone Cord Included</li> <li>▶ Surge Protection Indicator</li> <li>▶ Earthed Wiring Indicator</li> <li>▶ EMI/RFI Filtration</li> <li>▶ Thermal Fuses</li> <li>▶ Lifetime Product Warranty</li> </ul>

## Home/Office Grade

Our SurgeMaster™ Home/Office Grade has been designed to protect entry level computers, dot matrix printers, personal copiers and all other sensitive electronics in the home or office. Home/Office models offer a maximum spike amperage of 27,000 Amps, Telephone/Fax/Modem protection, surge-protected and earthed indicators, and Connected Equipment Warranties up to £10,000. The MasterCube™ is a single-outlet wall mount unit with Telephone/Fax/Modem protection for notebook computers and cordless phones.



**SurgeMaster™**  
**F5C205u4-TEL**  
7-22868-31093-9

**SurgeMaster™**  
**F5C205u2-TEL**  
7-22868-31092-2

**SurgeMaster™**  
**F5C205u2**  
7-22868-31091-5

**£10,000**

**Connected Equipment  
Warranty**

Maximum Spike Amperage  
27,000 Amps

- ▶ 824 Joule Energy Rating
- ▶ 5-Way Surge Protected Sockets
- ▶ Telephone/Fax/Modem Protection
- ▶ 4m Power Cord
- ▶ 1.8m Telephone Cord Included
- ▶ Surge Protection Indicator
- ▶ Earthed Wiring Indicator
- ▶ EMI/RFI Filtration
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty

**£10,000**

**Connected Equipment  
Warranty**

Maximum Spike Amperage  
27,000 Amps

- ▶ 824 Joule Energy Rating
- ▶ 5-Way Surge Protected Sockets
- ▶ Telephone/Fax/Modem Protection
- ▶ 2m Power Cord
- ▶ 1.8m Telephone Cord Included
- ▶ Surge Protection Indicator
- ▶ Earthed Wiring Indicator
- ▶ EMI/RFI Filtration
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty

**£10,000**

**Connected Equipment  
Warranty**

Maximum Spike Amperage  
27,000 Amps



- ▶ 720 Joule Energy Rating
- ▶ 5-Way Surge Protected Sockets
- ▶ 2m Power Cord
- ▶ Surge Protection Indicator
- ▶ Earthed Wiring Indicator
- ▶ EMI/RFI Filtration
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty





## Home/Office Grade

**4m**  
Power Cord



Provides Complete  
Phone/Fax/Modem  
Protection



Provides Complete  
Phone/Fax/Modem  
Protection



**SurgeMaster™**  
**F5C204u4-TEL**  
7-22868-31090-8

£3,000

**Connected Equipment  
Warranty**

Maximum Spike Amperage  
18,000 Amps

- ▶ 584 Joule Energy Rating
- ▶ 4-Way Surge Protected Sockets
- ▶ Telephone/Fax/Modem Protection
- ▶ 4m Power Cord
- ▶ 1.8m Telephone Cord Included
- ▶ Surge Protection Indicator
- ▶ Earthed Wiring Indicator
- ▶ EMI/RFI Filtration
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty

**SurgeMaster™**  
**F5C204u2-TEL**  
7-22868-31089-2

£3,000

**Connected Equipment  
Warranty**

Maximum Spike Amperage  
18,000 Amps

- ▶ 584 Joule Energy Rating
- ▶ 4-Way Surge Protected Sockets
- ▶ Telephone/Fax/Modem Protection
- ▶ 2m Power Cord
- ▶ 1.8m Telephone Cord Included
- ▶ Surge Protection Indicator
- ▶ Earthed Wiring Indicator
- ▶ EMI/RFI Filtration
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty

**SurgeMaster™**  
**F5C204u2**  
7-22868-31088-5

£3,000

**Connected Equipment  
Warranty**

Maximum Spike Amperage  
18,000 Amps


- ▶ 480 Joule Energy Rating
- ▶ 4-Way Surge Protected Sockets
- ▶ 2m Power Cord
- ▶ Surge Protection Indicator
- ▶ Earthed Wiring Indicator
- ▶ EMI/RFI Filtration
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty



## Home/Office Grade



**Perfect for use with  
laptop computers!**



**SurgeMaster™**  
**F5C204u1**  
7-22868-31087-8

**PowerStrip**  
**F5C204u3-S**  
7-22868-33058-6

**MasterCube™**  
**F5C195uTEL**  
7-22868-31086-1

**SurgeCube™**  
**F5C195u**  
7-22868-31085-4

### Lifetime Product Warranty

Maximum Spike Amperage  
4,500 Amps

- ▶ 120 Joule Energy Rating
- ▶ 4-Way Surge Sockets
- ▶ 1m Power Cord
- ▶ 4 AC Earthed Sockets
- ▶ 3m-Power Cord
- ▶ Lighted Power Switch



### Lifetime Product Warranty

**£6,000**

### Connected Equipment Warranty

Maximum Spike Amperage  
27,000 Amps

- ▶ 824 Joule Energy Rating
- ▶ 1 Surge Protected Socket
- ▶ Telephone/Fax/Modem Protection
- ▶ 1.8m Telephone Cord Included
- ▶ Surge Protection Indicator
- ▶ EMI/RFI Filtration
- ▶ Earthed Wiring Indicator
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty

**£6,000**

### Connected Equipment Warranty


Maximum Spike Amperage  
27,000 Amps

- ▶ 720 Joule Energy Rating
- ▶ 1 Surge Protected Socket
- ▶ Surge Protection Indicator
- ▶ Earthed Wiring Indicator
- ▶ EMI/RFI Filtration
- ▶ Thermal Fuses
- ▶ Lifetime Product Warranty



## Belkin Surge Protection Features at a Glance

Part Number	Model Name	Maxi. Amp. Rating	Joules	Connected Equipment Warranty	Number of Sockets	Phone/Fax/Modem	Built-in Splitter	EMI/RFI Filtration	Coax/Aerial Protection	Cord Length in Meters	Protection Indicator	Earth Indicator	BlockSpace™
<b>Home/Office Grade</b>													
F5C195u	SurgeCube™	27,000	720	£6,000	1			✓			✓	✓	
F5C195uTEL	MasterCube™	27,000	824	£6,000	1	✓		✓			✓	✓	
F5C204u3-S	PowerStrip	—	0	—	4					3			
F5C204u2	SurgeMaster™	18,000	480	£3,000	4			✓		2	✓	✓	
F5C204u1	SurgeMaster™	4,500	120	£0	4					1			
F5C204u2-TEL	SurgeMaster™	18,000	584	£3,000	4	✓		✓		2	✓	✓	
F5C204u4-TEL	SurgeMaster™	18,000	584	£3,000	4	✓		✓		4	✓	✓	
F5C205u2	SurgeMaster™	27,000	720	£10,000	5			✓		2	✓	✓	
F5C205u2-TEL	SurgeMaster™	27,000	824	£10,000	5	✓		✓		2	✓	✓	
F5C205u4-TEL	SurgeMaster™	27,000	824	£10,000	5	✓		✓		4	✓	✓	
<b>Superior Protection</b>													
F5C206u2-TEL3	SurgeMaster II™	33,000	1184	£20,000	6	✓	✓	✓		2	✓	✓	✓
F5C206u4-TEL3	SurgeMaster II™	33,000	1184	£20,000	6	✓	✓	✓		4	✓	✓	✓
F5C206u2AV-TEL3	SurgeMaster II™	33,000	1184	£20,000	6	✓	✓	✓	✓	2	✓	✓	✓
F5C100u	SurgeMaster™	33,000	1281	£20,000	5	✓		✓	✓	2	✓	✓	✓
<b>Maximum Protection</b>													
F5C208u2-TEL3	SurgeMaster II™	39,000	1544	£30,000	8	✓	✓	✓		2	✓	✓	✓
F5C208u4-TEL3	SurgeMaster II™	39,000	1544	£30,000	8	✓	✓	✓		4	✓	✓	✓
F5C208u2AV-TEL3	SurgeMaster II™	39,000	1544	£30,000	8	✓	✓	✓	✓	2	✓	✓	✓




### Lightning Protection

Unlike most other companies, our warranties cover lightning strikes, because this is when you need our warranty most. At Belkin Components we value our customers and we know when a catastrophic event like lightning happens, they need a company like Belkin supporting them. We state our warranty boldly on the front of the packaging. Unlike some companies, we do not hide a disclaimer deep inside the box where the customer will miss it, because we do not have a disclaimer.

# Surge Protector Features


## Thermal Fuses

A component that will break the electrical circuit if too much heat is generated by MOVs. The thermal fuse safely disconnects the surge circuitry if the surge protector is damaged.



## 3-Line AC Protection

Protection across Live, Neutral and Earth lines provide the most complete protection for your equipment. While many manufacturers offer only single or dual line protection, Belkin offers 3-line AC protection.



## Cable/Aerial Line Protection

Electrical surges can also enter through the cable/aerial lines. A surge protector with coax cable protection is the only way to properly protect your audio and video equipment from damage. 2m cable included with the surge protector.


## BlockSpace™

Allows room for large AC adapters common on many peripherals today without covering valuable outlets. We have designed our new Superior and Maximum Grade surge protectors to handle two AC adapters and still have the remainder of the outlets available. Unlike other surge protectors, we don't make you cover up two outlets to plug in one AC adapter.



## Built-in Telephone Line Splitter

One telephone line in and two telephone lines out. This will allow protection of two separate devices that require telephone connections.



## Telephone/Fax/Modem Protection

Electrical surges can enter through the telephone lines. A surge protector with telephone protection is the only way to properly protect your telephone, fax and modem.

## Indicator Lights

Indicator LED's ensure your equipment is safe when connected to a SurgeMaster™. The Earthed indicator will tell you that the wall outlet is properly Earthed thus enabling the surge protector to properly protect your electrical devices.



## Joule Rating

A Joule rating is a measurement of energy. The higher the Joule rating the better your electrical devices will be protected. The more MOV's a surge protector has, the higher the Joule rating.

## Noise Filtration

Electro-Magnetic Interference (EMI) and Radio Frequency Interference (RFI) noise disrupts the smooth sine wave one expects from utility power. Large monitors, air conditioners and large electrical devices cause EMI/RFI. All Belkin Surge protectors have EMI/RFI Filtration.

## Maximum Spike Amperage

An energy absorbing rating called a "peak surge current". Measured in Amps, it is the force behind the voltage. Belkin is committed to obtaining the highest peak amperage for each of its units.



## Response Time

The amount of time it takes for the unit to clamp or suppress the surge. All Belkin surge protectors have a <1 nanosecond (a billionth of a second) response time.

## ABS Plastic

A fire resistant plastic material, which is extremely durable and will not dent or scratch.



***Belkin Components***

+1 310.898.1100

Compton • USA • 90220

***Belkin Components, Ltd.***

+44 (0) 1604678300

Northampton • United Kingdom • NN3 8RX

***Belkin Components, BV***

+31 (0) 235698765

Hoofddorp • the Netherlands • 2132 WV

© 2000 Belkin Components. All Rights Reserved. All Trade Names Are Registered Trademarks  
Of Respective Manufacturers Listed. U.S. Patent No. Des. 396,689

**BELKIN**

**belkin.com**